

Fig. 1a




Fig. 1b

Radiation 5





Fig. 1c




Fig. 1d




Fig. 1e




Fig. 1f




Fig. 1g




Fig. 1h

M-10903VS
2 of 25

17

FIGURE 2a






FIGURE 2b

11

15



CD Region
21

Overlay Region
19

Figure 2




Figure 2C


[illegible]

Figure 4a.

M-107034S
5/8/25




Figure 4b




FIGURE 5a




FIGURE 5b




Figure 6




Fig. 7a




Fig. 7b

M-10703VS
9/25




Figure 2

M-1070325
10/8/25




Figure 9a




Figure 9b

M-10703 US
11/8/25

110




Figure 10a




Figure 10b

M-10703 VS
120725

✓ 120




Figure 11a




Figure 11b

M-1070345
13825




Fig. 12a




Fig. 12b

M-1070345
14 of 25

Differential intensity between +/-1st orders from resist AZ1530j on etched Si double gratings versus overlay. CD1=500nm, CD2=200nm, h1=850nm, h2=600nm, wl=550nm, P=1 micron at different polarization angles






Figure 13

M-1090315
15725



M-10903 US
160625



M-1070345
17 of 25






Figure 16

[illegible]

[illegible]

M-10703 US
20 of 25






Figure 19


M-10703 US
21/7/25




M-1070328
22 of 25



M-10703 US
23825



M-10702 us
24725



M-1070325
25/25

